



Facebook



@Bersa Llantas
Industriales



Bersa Tyres

BERSA TYRES S.A DE C.V

TEL: 618 135 2751

E-MAIL: contacto@bersatyres.com

www.bersatyres.com

C. Puebla 1201, Col. Jardines de Cancún C.P. 34167, Durango Mx



OTR TIRES CATALOGUE

V16.0



ET304



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
27.00R49	E4	★★	103	82	223 B
33.00R51	E4	★★	120	95	235 B
37.00R57	E4	★★	125	99	246 B
40.00R57	E4	★★	125	99	250 B
46/90R57	E4	★★	125	99	252 B
50/80R57	E4	★★	120	95	257 B



SUPER ROCK



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24.00R35	E4	★★	91	72	209 B
27.00R49	E4	★★	103	82	223 B
40.00R57	E4	★★	122	97	250 B
46/90R57	E4	★★	122	97	252 B



ETRACTION



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
40.00R57	E4	★★	98	78	250 B



ETDT



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
18.00R33	E4	★★	66	52.5	191 B
21.00R35	E4	★★	74	58.5	201 B
24.00R35	E4	★★	84	66.5	209 B
27.00R49	E4	★★	93	74	223 B



ET305



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
40.00R57	E4	★★	117	93	250 B



SUPER TRAC



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24.00R35	E4	★★	79	63	209 B
27.00R49	E4	★★	93	74	223 B
33.00R51	E4	★★	116	92	235 B



SUPER RDT



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24.00R35	E4	★★	84	67	209 B



ETUL+



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
21.00R33	E4	★★	66	52.5	200 B



ET355



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
27.00R49	E4	★★	89	71	223 B
33.00R51	E4	★★	115	91	235 B
36.00R51	E4	★★	108	86	241 B



ETLB



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
27.00R49	E4	★★	71	56	223 B
33.00R51	E4	★★	98	78	235 B



FORT RDT



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24.00R35	E4	★★	79	63	209 B



ETSD



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R25	E3	★★	42	33	177 B





ETRT



RDT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
18.00R25	E4	★★	57	45.5	185 B



ETRTV



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R25	E4	★★★	53	42	177 B



ET618



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E3	★★★	33	26	169 B



ET668



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R25	E3	★★★	34	27	177 B



SUPER ETOT



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R25	E3	★★/★★★	40	32	177 B/180 B



T-MAN



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E4	★★★	48	38	169 B



ET919



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E3	★★★	31	25	169 B



ETDT2



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
18.00R33	E4	★★★	60	47.5	191 B



ETOH



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E3	★★★	32	27	169 B



ETRT9



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E4	★★★	47	37.5	169 B



ETCRANE



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E2	★★★	32	26	169 B
16.00R25	E2	★★★	31	25	177 B



ETDT



Mining Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
18.00R33	E4	★★★	60	47.5	191 B

MINING TRUCK





SUPER LHD



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
18.00R25	L5S	★★	110	87	204 A2



PROLHD



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
12.00R24	L5S	★★	69	55	175 A2
14.00R24	L5S	★★	73	58	186 A2
18.00R25	L5S	★★	110	87	204 A2
17.5R25	L5S	★★	98	78	182 A2
26.5R25	L5S	★★	122	97	209 A2
29.5R29	L5S	★★	132	105	218 A2



ETSM



LHD

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
12.00R20	L5S	★★	59	46.5	171 A2
18.00R25	L5S	★★	99	78.5	204 A2
17.5R25	L5S	★★	80	63.5	182 A2
26.5R25	L5S	★★	111	88.5	209 A2
29.5R25	L5S	★★	124	98.5	216 A2
29.5R29	L5S	★★	124	98.5	218 A2
35/65R33	L5S	★★	121	96	224 A2



ETST



LHD



Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R24	E4/L4	★★★★	44	35	176 A4
18.00R25	E4	★★	59	47	199 A4



ETUM



LHD



Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R25	E4/L4	★★	68	54	186 A4/195 A2



ETNT



LHD



Underground Truck

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
26.5R25	E4	★★	69	55	193 B
29.5R25	E4	★★	69	55	200 B
29.5R29	E4	★★	73	58	202 B
35/65R33	E4/L4	★★★★	76	60.5	225 A8/229 A2



TKUS



Underground Utility Vehicle

Size	Ply Rating	Tread Depth	
		32nds	mm
300-15	20	30	24
9.00-20	14	30	24
10.00-20	20	43	34
12.00-20	24	48	38



4KLIFT-D



Underground Utility Vehicle

Size	Ply Rating	Tread Depth	
		32nds	mm
8.25-15	16	40	32



TKPORTH



Underground Utility Vehicle

Size	Ply Rating	Tread Depth	
		32nds	mm
12.00-20	24	57	45
12.00-24	24	68	54
14.00-24	28	72	57
14.00-25	28	72	57
16.00-25	32	78	62



ETDL5



Wheel Loader Wheel Dozer



Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
17.5R25	L5	★★	96	63.5	182 A2
20.5R25	L5	★★	96	76	193 A2
23.5R25	L5	★★	106	84.5	201 A2
26.5R25	L5	★★	118	93.5	209 A2
29.5R25	L5	★★	127	101	216 A2
29.5R29	L5	★★	127	101	218 A2
35/65R33	L5	★★★★	120	95	225 A8/229 A2



ETDL5S



Wheel Loader Wheel Dozer



Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
20.5R25	L5	★★	86	68.5	193 A2
23.5R25	L5	★★	94	75	201 A2
26.5R25	L5	★★	106	84.5	209 A2
29.5R25	L5	★★	117	92.5	216 A2



ETD2



LHD Underground Truck



Wheel Loader Wheel Dozer



Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
29.5R25	L5	★★	116	92	216 A2
29.5R29	L5	★★	116	92	218 A2



MATE D2S



Wheel Loader Wheel Dozer



Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
20.5R25	L5	★★	87	69	193 A2
23.5R25	L5	★★	89	71	201 A2
26.5R25	L5	★★	101	80	209 A2
29.5R25	L5	★★	112	89	216 A2



FORT L5

Wheel Loader Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
20.5R25	L5	★★	85	67.5	193 A2
23.5R25	L5	★★	96	76	201 A2
26.5R25	L5	★★	120	95	209 A2



ETADT

ADT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
23.5R25	E4	★★	59	47	185 B
26.5R25	E4	★★	64	50.5	193 B
29.5R25	E4	★★	70	55.5	200 B
29.5R29	E4	★★	70	55.5	202 B



SNOWKING

Wheel Loader Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
17.5R25	E2/L2	★★	35	28	167 B/182 A2
20.5R25	E2/L2	★★	39	31	177 B/193 A2
23.5R25	E2/L2	★★	43	34	185 B/201 A2



MATE E3L3

Wheel Dozer
Wheel Loader
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
15.5R25	G3/L3	★★	33	26	161 A8/176 A2
17.5R25	G3/L3	★★	33	26	162 A8/182 A2
20.5R25	E3/L3	★★	40	32	177 B/193 A2
23.5R25	E3/L3	★★	44	35	185 B/201 A2
26.5R25	E3/L3	★★	45	36	193 B/209 A2



SUPER ADT

ADT Wheel Loader
Scrapper

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
29.5R25	E4	★★	82	65	200 B
33.25R29	E4	★★	84	67	209 B



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
600/65R25	E3/L3	★★	43	34.5	178 B/187 A2
650/65R25	E3/L3	★★	47	37	180 B/193 A2
750/65R25	E3/L3	★★	54	43	190 B/202 A2
875/65R29	E3/L3	★★	64	51	203 B/214 A2



ETSNOW

Wheel Loader Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E2	★★★	28	22	170 E
16.00R25	E2	★★★	33	26.5	177 E



MATE-S L3

Wheel Loader Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
17.5R25	E3/L3	★★	34	27	167 B/182 A2
20.5R25	E3/L3	★★	37	29	177 B/193 A2
23.5R25	E3/L3	★★	43	34	185 B/201 A2
26.5R25	E3/L3	★★	47	37	193 B/209 A2



PROADT

ADT
Wheel Loader

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
23.5R25	E3/L3	★★	46	36.5	185 B/201 A2
26.5R25	E3/L3	★★	53	42	193 B/209 A2
29.5R25	E3/L3	★★	54	43	200 B/216 A2



FORT ADT

ADT

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
23.5R25	E4	★★	67	53.5	185 B
26.5R25	E4	★★	67	53.5	193 B
29.5R25	E4	★★	70	55.5	200 B



MATE SNOW

Wheel Loader Wheel Dozer
Graders

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
17.5R25	E2/L2	★★	35	28	167 B/182 A2
20.5R25	E2/L2	★★	39	31	177 B/193 A2
23.5R25	E2/L2	★★	43	34	185 B/201 A2



MATE E4L4

Wheel Loader Wheel Dozer
Graders


Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
29.5R25	E4/L4	★★	63	50	200 B/216 A2

LOADER & DOZER & GRADER

ADT




FORT E3L3



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
17.5R25	E3/L3	★★	33	26	167 B/162 A2
20.5R25	E3/L3	★★	38	30	177 B/193 A2
23.5R25	E3/L3	★★	50	40	185 B/201 A2
26.5R25	E3/L3	★★	47	37.5	193 B/209 A2
29.5R25	E3/L3	★★	52	41	200 B/216 A2



MATE G2



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R24	G2	★★	31	25	155 A8



ETAT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R25	E2	★★★	26	21	170 E



ETCRANE L



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
525/80R25	E2	★★★	35	28	177 F




PROADT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
23.5R25	E3/L3	★★	46	36.5	185 B/201 A2
26.5R25	E3/L3	★★	53	42	193 B/209 A2
29.5R25	E3/L3	★★	54	43	200 B/216 A2



ETGRADER2



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R24	G2/L2	★★	31	25	155 A8



ETCRANE



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
385/95R25	E2	★★★	28	22	170 F/170 G
445/95R25	E2	★★★	31	25	174 F
445/80R25	E2	★★★	31	25	170 F
525/80R25	E2	★★★	28	22	177 F



ETGC



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
445/80R25	E2	★★★	33	26.5	170 F
505/95R25	E2	★★★	34	27	186 E
525/80R25	E2	★★★	38	30	177 F



ETADT



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
600/65R25	E3/L3	★★	43	34.5	178 B/187 A2
650/65R25	E3/L3	★★	47	37	180 B/193 A2
750/65R25	E3/L3	★★	54	43	190 B/202 A2
875/65R29	E3/L3	★★	64	51	203 B/214 A2



ETGRADER



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
16.00R24	G2	★★	33	26	163 A8



ETCRANE2



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
385/95R25	E2	★★★	28	22	170 F



CRANE80



Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
385/95R25	E2	★★★	25	20	170 G

CRANE

SPECIAL



SNOWKING L



All Terrain Crane

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
385/95R25	E2	★★★	29	23	170 E



ETMT



ARFF Vehicle



Kenworth Truck

Size	TRA Code	Ply Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24R21	E7	16	29	23	176 G



DK22



Dump Trailer

Size	TRA Code	Ply Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24R20.5	E7	16	26	21	176 F



ETPORTM



Forklift



Reach Stacker



Empty Container Handler

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
12.00R20	IND4	★★	50	40	176 A5
12.00R24	IND4	★★	50	40	178 A5



DK20



Dump Trailer

Size	TRA Code	Ply Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
24R20.5	E7	16	24	19	176 F



ETPORTM+



Forklift



Reach Stacker



Empty Container Handler

Size	TRA Code	Star Rating	Tread Depth		Load Index/Speed Symbol
			32nds	mm	
14.00R24	IND4	★★★	79	62.5	196 A5

